



PHOENIX 27-XL

Water Dispersible Pipe Joint Lubricant

Description:

Phoenix 27-XL is a new water dispersible, high performance pipe joint lubricant which has been certified by NSF for use in potable water supply systems. Its creamy consistency allows the installer to apply a smooth, consistent coating of 27-XL to both the gasket and the pipe. Combine this with Phoenix 27-XL's excellent lubricity and the result is easier, faster and more reliable pipe assembly operations.

The versatility of this formula is exceptional. Phoenix 27-XL has a very broad usable temperature range; -10°F to 150°F. And since It also applies equally well to wet or dry surfaces, Phoenix 27-XL can be used in all conditions, all year long, on any type of pipe.

Features:

- Certified to NSF/ANSI Std 61-G
- Smooth, Easy-to-Spread Formula
- All-Season, All-Weather Lube
- Water Dispersible
- Biodegradable
- Utilizes Renewable Resources
- FBC System Compatible
- Minimizes Insertion Forces
- Does Not Support Bacteria
- Contains No Petroleum
- Contains No Phosphates
- Non-Toxic
- Certified Low Lead Level (<0.25%)
- Ultra Low VOC Content (< 1.0 g/l)

Product Data:

Form: Soft, Viscous Paste

Color: Off White

Odor: Bland

Boiling Point: > 180°F

Flash Point: > 220°F

Water Miscibility: Very Good

Petroleum Content: None

Phosphate Content: None

Pounds per Gallon; approx. 10

pH (5% solution); approx. 9.0